



# CUSHMAN DARBY & CUSHMAN, L.L.P.

Attorneys at Law  
Since 1892

ARLON V. CUSHMAN (1892-1950)  
JOHN J. DARBY (1920-1950)  
WILLIAM M. CUSHMAN (1929-1964)

PAUL N. KOKULIS  
RAYMOND F. LIPPITT  
G. LLOYD KNIGHT  
CARL G. LOVE  
EDGAR H. MARTIN  
WILLIAM K. WEST, JR.  
KEVIN E. JOYCE  
EDWARD M. PRINCE  
DAVID W. BRINKMAN  
GEORGE M. SIRILLA  
DONALD J. BIRD  
W. WARREN TALTAVULL  
SUSAN T. BROWN  
PETER W. GOWDEY  
DALE S. LAZAR  
GLENN J. PERRY  
KENDREW H. COLTON  
CHRIS COMUNTZIS  
RICHARD L. KIRKPATRICK  
LAWRENCE HARBIN  
WALLACE G. WALTER  
PAUL E. WHITE, JR.  
SHELDON H. KLEIN  
MICHELLE N. LESTER  
JEFFREY A. SIMENAUER  
ROBERT A. MOLAN  
G. PAUL EDGELL  
RAYMOND L. SWEIGART  
DAVID A. JAKOPIN  
MARK G. PAULSON\*  
LYNN E. ECCLESTON

WILLIAM P. ATKINS  
JACK S. BARUFKA  
BRIAN J. BEATUS  
JAMES D. BERQUIST  
WILLIAM H. BOLLMAN  
GREGORY P. BRUMMETT  
CHARLES B. CAPPELLARI\*  
MARLANA K. CHAPIN  
MICHAEL R. DZWONCZYK  
JONATHAN GENTIN  
BARRY P. GOLOB  
JOHN C. GORECKI\*  
MICHAEL W. HAAS  
ADAM R. HESS  
ANN S. HOBBS, PH.D.  
TIMOTHY J. KLIMA  
KURT W. LOCKWOOD\*  
TIMOTHY F. LOOMIS\*  
JEFFREY S. MELCHER  
ANTHONY L. MIELE\*  
CHRISTOPHER P. MURPHY  
DANTE J. PICCIANO, PH.D.  
B.J. SADOFF\*  
EDWARD J. STEMBERGER  
DAVID S. TAYLOR  
RICHARD WYDEVEN

## COUNSEL

HOWARD D. DOESCHER  
LAWRENCE A. HYMO  
ALLEN KIRKPATRICK  
JOHN P. MORAN  
THOMAS G. WISEMAN\*

\* ADMITTED IN JURISDICTIONS  
OTHER THAN D.C.

December 18, 1995

Hon. Commissioner of Patents  
and Trademarks  
Washington, D.C. 20231

Attention: Application Branch

Re: U.S. Application of TANAKA  
Serial No.: 08/522,085  
Filed: 08/31/95  
Group: 1809  
Title: OXYGEN CONCENTRATION DETECTOR

Sir:

Enclosed is a copy of the filing receipt for this application. Please correct your records and issue a corrected filing receipt with the following correction made:

Correct the spelling of the sixth inventor's first name to: Masaya Fujimoto.

Respectfully submitted,

CUSHMAN DARBY & CUSHMAN, L.L.P.

By

G. Lloyd Knight  
Reg. No. 17698  
Tel. No. 202/861-3090

Encl.

#4  
Receipt  
1100 New York Avenue, N. W.  
Ninth Floor, East Tower  
Washington, DC 20005-3918  
Telephone: (202) 861-3000  
Telefax: (202) 822-0944  
MCI-Mail: 365-4288  
Internet: cdc@cushman.com  
Telex: 6714627 CUSH

FILING RECEIPT



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY AND COMMISSIONER  
OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTORNEY DOCKET NO.	DRWGS	TOT CL	IND CL
08/522,085	08/31/95	1809	\$882.00	219742/41897	12	17	5

CUSHMAN DARBY AND CUSHMAN  
1100 NEW YORK AVENUE NW  
NINTH FLOOR EAST TOWER  
WASHINGTON DC 20005-3918

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Application Processing Division's Customer Correction Branch within 10 days of receipt. Please provide a copy of the Filing Receipt with the changes noted thereon.

Applicant(s)

AKIO TANAKA, OBU, JAPAN; NAOTO MIWA, TSUSHIMA, JAPAN;  
TOSHITAKA SAITO, TOYOHASHI, JAPAN; HIROMI SANO, NAGOYA,  
JAPAN; KAZUNORI SUZUKI, NAGOYA, JAPAN; NAGOYA FUJIMOTO,  
KARIYA, JAPAN.

FOREIGN/PCT APPLICATIONS-JAPAN  
JAPAN

06-234387

09/01/94

06-340136

12/28/94

TITLE  
OXYGEN CONCENTRATION DETECTOR

PRELIMINARY CLASS: 436

